



PO Box 16017
Hornby
Christchurch 8441
Phone: 03 344 0260
Fax: 03 349 8732
info@agrippapaints.co.nz
www.agrippapaints.co.nz

Safety Data Sheet

CUBIX - INTERIOR LOW SHEEN PAINT

1. Identification of Material and Supplier

Product Name: CUBIX Interior Low Sheen
Product Code: CBLS
Other Names: Interior Low Sheen Paint
Recommended Use: Interior paint for brush, roller or spray application
Company: Agrippa Paints Ltd
Address: PO Box 16017, Hornby, Christchurch 8042
Emergency Telephone: **Business hours - (03) 344 0260 ask for Technical Manager**
24/7 EMERGENCY ONLY - 0800 245 345
Telephone/Fax number: Tel: (03) 344 0260 Fax: (03) 349 8732
New Zealand National Poison Centre: 0800 POISON (0800 764 766)

2. Hazards Identification

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017

Signal Word: Danger / Warning
Hazard Classification: Skin sensitisation category 1
Pictogram:



Hazard Statements: May cause an allergic skin reaction
Prevention: P261: Avoid breathing vapour
P272: Contaminated work clothing should not be allowed out of the workplace
P280: Wear protective gloves, protective clothing/eye protection

Safety Data Sheet

CUBIX - INTERIOR LOW SHEEN PAINT

Response

P302+352: IF ON SKIN: Wash with plenty of water
P321: Specific treatment - See section 4
P362+P364: Take off contaminated clothing and wash before reuse
P333 +P313: If skin irritation or rash occurs: Get medical advice/attention

Storage

Disposal

P501: Dispose of contents/container in accordance with local government regulations

3. Composition/information of Ingredients

| Ingredients: | CAS Reg No: | Approx Proportion | WES (TLV) |
|---|---------------|-------------------|------------------|
| Polymers | Non Hazardous | 30-60% | None Established |
| Ammonium Hydroxide | 1336-21-6 | <10% | 25ppm |
| 2,2,4-Trimethyl-1,3-pentanediol monoisobutyrate | 25265-77-4 | <10% | |
| Alcohol - Glycol Solvents | Mixture | <10% | None Established |
| Biocide | Mixture | <10% | - |
| Water | None | <10% | None Established |
| Titanium Dioxide | 13463-67-7 | <10% | |
| Detergents | - | <10% | - |

4. First Aid Measures

| | |
|-------------------|---|
| Inhalation: | Irritating to mucous membranes and respiratory system. Provide fresh air, give oxygen or artificial respiration if breathing laboured |
| Ingestion: | Do not induce vomiting. Give 1-2 glasses of water and if you are concerned seek medical attention. |
| Skin: | Wash skin thoroughly with soap and water. If skin irritation or rash occurs - seek medical attention |
| Eye: | Flush eye thoroughly with copious amounts of water for at least 5 minutes. Retract eyelids frequently. Remove contact lenses if present and easy to do so. Seek medical attention if irritation persists. |
| Advise to doctor: | Treat symptomatically. |

Health Effects

| | |
|-------------------|--|
| Inhalation: | Irritating to mucous membranes and respiratory system |
| Ingestion: | Can be harmful if swallowed |
| Skin: | Can be irritating to skin upon repeated or prolonged contact |
| Eye: | Irritating to eyes |
| Long Term Hazard: | None expected |

Safety Data Sheet

CUBIX - INTERIOR LOW SHEEN PAINT

5. Fire Fighting Measures

| | |
|-----------------------------------|---|
| Extinguishing media: | Not Flammable. Dry powder, carbon dioxide, foam. |
| Specific Hazards: | Not Flammable |
| Special Fire fighting Procedures: | Not Flammable |
| Special protective equipment: | Wear full protective clothing and self contained breathing apparatus. Use equipment/media appropriate to surrounding fire conditions. |
| Decomposition Products: | None |
| Flammable limits: | In air (%vol) LEL: NA UEL: NA Flash point: 230-250°C (typical) |
| Hazchem code: | NA |

6. Accidental Release Measure

| | |
|-----------------------|--|
| Emergency Procedures: | Absorb with sand or earth. Shovel up and place in a labelled, sealable container for subsequent disposal. Flush the contaminated area with plenty of water. Dyke spill and transfer to a salvage tank if possible. Absorb remainder with sand or earth and shovel to sealable containers for disposal. Could contaminate waterways. Contaminated absorbent to be deposited in a secure landfill in accordance with Local Government regulations. |
|-----------------------|--|

7. Handling and Storage

| | |
|------------------------------|----------------------------|
| Store Temperature: | Maximum 40°C - Minimum 1°C |
| Container Type and Material: | Plastic Pails |

8. Exposure Controls/Personal Protection

| | |
|------------------------------|---|
| National Exposure standards: | NA |
| Biological Limit Values: | No biological limit values available for this product. |
| Engineering Controls: | Not ordinarily required other than following normal "good use practices" for when using paint related products. |
| Respiratory Protection: | Not ordinarily required. A mask is recommended if applying with a sprayer. |
| Eye Protection: | Not ordinarily required. Safety goggles or splash mask are optional. |
| Hand Protection: | Not ordinarily required. Gloves are optional. |
| Body Protection: | Wear normal clothing covering arms and legs to reduce contact with skin. |
| Other: | Cleaning rag or paper soaked with Linseed Oil can self ignite while curing, do not leave them "screwed up". For final disposal burn or bury them to avoid any fire risk. (Alternatively rags can be rinsed thoroughly in detergent and water and hung out to dry for re use.) |

9. Physical and Chemical Properties

| | |
|----------------------------|------------------------------------|
| Appearance: | Liquid |
| Colour: | As per colour label |
| Odour: | Mild paint like odour |
| Melting Point: | Less than 0°C |
| Boiling Point: | Over 100°C |
| Solubility in Water (g/l): | Insoluble but dispersible |
| Flash Point: | Not combustible |
| Flammability: | Not Flammable (dry film will burn) |

Safety Data Sheet

CUBIX - INTERIOR LOW SHEEN PAINT

10. Stability and Reactivity

| | |
|---------------------------|--|
| Chemical Stability: | Stable |
| Conditions to Avoid: | Temperatures above 40°C or below 1°C (Frost) |
| Incompatible Materials: | Strong oxidizers, acids, alkalis |
| Hazardous Decomposition | Oxides of carbon |
| Products: | |
| Hazardous Polymerization: | Will not occur |

11. Toxicological Data

| | |
|--------------------------|--|
| Acute Toxicology: | |
| Inhalation - | No significant signs or symptoms indicative of any health hazard are expected to occur as a result of inhalation exposure. |
| Ingestion - | No significant signs or symptoms indicative of any health hazard are expected to occur as a result of small ingestion. |
| Skin - | Not known. May cause allergic skin reaction. |
| Eye - | Not known. May irritate the eyes. |
| Chronic Effects - | Not known. |
| Genetic Toxicology: | May cause genetic defects. Suspected of damaging fertility or the unborn child |
| Reproductive Toxicology: | Suspected of causing cancer |

12. Ecological Information

| | |
|--------------------------------|--|
| Ecotoxicity: | Avoid discharge into waterways. |
| Persistence and degradability: | No information available for this product. |
| Mobility: | No information available for this product. |
| Environmental Fate: | Avoid contaminating waterways. |
| Bio accumulative Potential: | No information available for this product. |

13. Disposal Considerations

| | |
|-----------------|--|
| Waste Disposal: | Follow Local Government regulations for disposal of the waste. Avoid discharge into stormwater drains, sewers and waterways, contact the Local authorities if this occurs. |
|-----------------|--|

14. Transport Information

| | |
|------------------------------------|---|
| Transport information New Zealand: | No special precaution necessary other than to ensure good packaging practices are followed to ensure if damaged does occur, no contamination of other products occur. |
| UN Number: | NA |
| Proper Shipping Name: | NA |
| DG Class: | NA |
| Hazchem Code: | NA |
| Packing Group: | NA |

15. Regulatory Information

| | |
|-------------------------------------|---------------------------|
| Hazard Classifications New Zealand: | Group Standard: HSR002670 |
| Toxic Substance Schedule: | NA |

Safety Data Sheet

CUBIX - INTERIOR LOW SHEEN PAINT

16. Other Information

| | |
|---------------------------------------|------------------------------------|
| Revision Date: | SDS Reviewed January 2025 |
| Legend to abbreviations and Acronyms: | NA = Not Applicable C = Celsius |
| Literature References: | No data available |
| Sources for Data: | No data available |

Disclaimer

"This technical information is given in good faith, based on our experience and tests. However, subject to any implied terms, conditions, or warranties imposed by the Consumer Guarantees Act 1993 the recommendations and suggestions herein are made without guarantee, as application conditions are out of our control. Adequate tests should be made to ensure product or recommendations suitability".

"There shall be no right of redress against the manufacturer under the Consumer Guarantees Act 1993 in respect of goods which fail to comply with any express guarantees made by the manufacturer in relation to the information contained herein where the goods have failed for reasons beyond the control of the manufacturer".

"Nothing in the Consumer Guarantees Act 1993 relating to any express guarantees made by the manufacturer in relation to the information contained herein shall apply where the purchaser of the goods will use those goods for business purpose or any other purpose which is not a domestic purpose".