



PO Box 16017 Hornby Christchurch 8441 Phone: 03 344 0260

Fax: 03 349 8732 info@agrippapaints.co.nz www.agrippapaints.co.nz

Safety Data Sheet SUPER DECK - TIMBER DECKING STAIN

1. Identification of Material and Supplier

Product Name: Super Deck Timber Decking Stain

Product Code: SD

Other Names: Water Based Linseed Oil Timber Decking Stain

Recommended Use: Timber Decking stain for brush, or speed pad application

Company: Agrippa Paints Ltd

Address: PO Box 16017, Hornby, Christchurch 8042

Emergency Telephone: (03) 344 0260 ask for Technical Manager or 0800 245 345 (24hr Contact)

0800 POISON (0800 764 766)

Telephone/Fax number: Tel: (03) 344 0260 Fax: (03) 349 8732

New Zealand National Poison

Centre:

2. Hazards Identification

Signal Word Warning

Hazard Classification: Skin sensitisation category 1

Carcinogenicity category 2

Pictogram





Hazard Statements May Cause an allergic skin reaction

Suspected of causing cancer

Prevention P261: Avoid breathing vapour

P272: Contaminated work clothing should not be allowed out of the workplace

P280: Wear protective gloves, protective clothing/eye protection

P202: Do not handle untill all saftey precautions have been read and understood

Response P302+352: IF ON SKIN: Wash with plenty of water

P321: Specific treatment - See section 4

P362+P364: Take off contaminated clothing and wash before reuse P333 +P313: If skin irritation or rash occurs: Get medical advice/attention P308 + P313: If exposed or concerned: Get medical advice/attention

Storage P405: Store Locked up

Disposal P501: Dispose of contents/container in accordance with local government regulations

Safety Data Sheet

SUPER DECK - TIMBER DECKING STAIN

3. Composition/information of Ingredients			
Ingredients:	CAS Reg No:	Approx Proportion	WES (TLV)
Boiled Linseed Oil	68553-15-1	<10%	-
Polymers	Non Hazardous	<10%	None Established
Hydrocarbons	Mixture	<10%	None Established
Emulsifier	-	<10%	-
Barium Metaborate	13701-59-2	<10%	-
Ammonium Hydroxide	1336-21-6	<10%	25ppm
Cobalt Octoate Drier	136-52-7	<10%	-
Biox Fungciade	Mixture	<10%	-
Water	None	30-60%	None Established
Inorganic Pigments*	Mixture	<10%	10mg/M3
*(Metal Oxides vary with colour)			-

4. First Aid Measures

Inhalation: Irritating to mucous membranes and respiratory system. Provide fresh air, give oxygen or

artificial respiration if breathing laboured

Ingestion: Do not induce vomiting. Give 1-2 glasses of water and if you are concerned seek medical

attention. Call Poision Centre 0800 764 766 - have product conatiner at hand

Skin: Remove contaminated clothing and wash beofre reuse, if on skin wash with sopa and

plenty of water. If skin irriatio persists, seek medicla advice.

Eye: Flush eye thoroughly with copious amounts of water for at least 5 minutes. Retract eyelids

frequently. Seek medical attention if irritation persists.

Advise to doctor: Treat symptomatically.

Health Effects

Inhalation: Irritating to mucous membranes and respiratory system

Ingestion: Can be harmful if swallowed

Skin: Mildly irritating to skin upon repeated or prolonged contact

Eye: Irritating to eyes

Long Term Hazard: None anticipated with this product

5. Fire Fighting Measures

Extinguishing media: Not Flammable. Foam dry chemical, carbon dioxide. Water may be ineffective.

Specific Hazards: Not Flammable Special Fire fighting Procedures: Not Flammable

Special protective equipment: Wear full protective clothing and self contained breathing apparatus. Use

equipment/media appropriate to surrounding fire conditions.

Decomposition Products: None

Flammable limits: In air (%vol) LEL: NA UEL: NA

Flash point: 230-250°C (typical)

Hazchem code: NA

6. Accidental Release Measure

Emergency Procedures: Absorb with sand or earth. Shovel up and place in a labelled, sealable container for

subsequent disposal. Flush the contaminated area with plenty of water. Dyke spill and transfer to a salvage tank if possible. Absorb remainder with sand or earth and shovel to sealable containers for disposal. Could contaminate waterways. Contaminated absorbent to be deposited in a secure landfill in accordance with Local Government regulations.

7. Handling and Storage

Store Temperature: Maximum 40°C - Minimum 1°C

Container Type and Material: Plastic Pails - Keep closed when not in use

8. Exposure Controls/Personal Protection

Safety Data Sheet

SUPER DECK - TIMBER DECKING STAIN

National Exposure standards: NA

Biological Limit Values: No biological limit values available for this product.

Engineering Controls: Not ordinarily required other than following normal "good use practices" for when using

paint related products.

Respiratory Protection: Not ordinarily required. A mask is recommended if applying with a sprayer.

Eye Protection: Not ordinarily required. Safety googles or splash mask are optional.

Hand Protection: Not ordinarily required. Gloves are optional.

Body Protection: Wear normal clothing covering arms and legs to reduce contact with skin.

Other: Cleaning rag or paper soaked with Linseed Oil can self ignite while curing, do not leave

them "screwed up". For final disposal burn or bury them to avoid any fire risk.

(Alternatively rags can be rinsed thoroughly in detergent and water and hung out to dry for

re use.)

9. Physical and Chemical Properties

Appearance: Liquid

Colour: As per colour label

Odour: Oily Melting Point: NA

Boiling Point: 260-280°C (typical)
Solubility in Water (g/l): Insoluble but dispersible
Flash Point: 230-250°C (typical)

Flammability Not Flammable (dry film will burn)

10.Stability and Reactivity

Chemical Stability: Stable

Conditions to Avoid: Waterways contamination

Incompatible Materials: Not known Hazardous Decomposition None

Products:

Hazardous Polymerization: Will not occur

11. Toxicological Data

Acute Toxicology:

Inhalation - No significant signs or symptoms indicative of any health hazard are expected to occur as

a result of inhalation exposure.

Ingestion - No significant signs or symptoms indicative of any health hazard are expected to occur as

a result of small ingestion.

Skin - No significant signs or symptoms indicative of any adverse health hazard are

expected to occur as a result of skin exposure.

Eye - Not known. May irritate the eyes.

Chronic Effects - Not known.

Genetic Toxicology: NA
Reproductive Toxicology: NA

12. Ecological Information

Eco toxicity: Avoid discharge into waterways.

Persistence and degradability: No information available for this product. Mobility: No information available for this product.

Environmental Fate: Avoid contaminating waterways.

Bioaccumulative Potential: No information available for this product.

13. Disposal Considerations

Waste Disposal: Follow Local Government regulations for disposal of the waste. Avoid discharge into

stormwater drains, sewers and waterways, contact the Local authorities if this occurs.

14. Transport Information

Safety Data Sheet

SUPER DECK - TIMBER DECKING STAIN

Transport information New

Zealand:

No special precaution necessary other than to ensure good packaging practices are followed to ensure if damaged does occur, no contamination of other products occur.

UN Number: NA Proper Shipping Name: NA DG Class: NA Hazchem Code: NA Packing Group: NA

15. Regulatory Information

Hazard Classifications New

Zealand:

Group Standard: HSR002679

Toxic Substance Schedule: NA

16. Other Information

Revision Date:

SDS Reviewed January 2025

Legend to abbreviations and

Acronyms:

NA = Not Applicable

C = Celcuis

Literature References: No data available Sources for Data: No data available

Disclaimer

"Nothing in the Consumer Guarantees Act 1993 relating to any express guarantees made by the manufacturer in relation to the information contained herein shall apply where the purchaser of the goods will use those goods for business purpose or any other purpose which is not a domestic purpose".

[&]quot;This technical information is given in good faith, based on our experience and tests. However, subject to any implied terms, conditions, or warranties imposed by the Consumer Guarantees Act 1993 the recommendations and suggestions herein are made without guarantee, as application conditions are out of our control. Adequate tests should be made to ensure product or recommendations suitability".

[&]quot;There shall be no right of redress against the manufacturer under the Consumer Guarantees Act 1993 in respect of goods which fail to comply with any express guarantees made by the manufacturer in relation to the information contained herein where the goods have failed for reasons beyond the control of the manufacturer".